

*****RULES AND REGULATIONS*****
SHEBOYGAN COUNTY FAIR ASSOCIATION
2013 FARM TRACTOR PULL
THURSDAY, AUGUST 29, 2013 - 7:00 P.M.

Entry Fee: \$20.00
 Location: Sheboygan County Fair Park at Plymouth, Wisconsin
 Scale Hours: 3 p.m. to 5:30 p.m. – **No entries will be accepted after 5:30 p.m.**
 Prizes: 1st - \$100 2nd - \$75 3rd - \$60 4th - \$50 5th - \$40 6th - \$30

Class A	Up to 6,500 lbs.	56 P.T.O H.P. Mfg. Est. Limit (No turbo) 1955 and older, must be county tractors <u>only</u> 1956 and newer tractors open from anywhere
Class B	Up to 8,500 lbs.	73 P.T.O H.P. Mfg. Est. Limit (No turbo)
Class C	Up to 10,500 lbs.	86 P.T.O H.P. Mfg. Est. Limit (1:63 inch max turbo inlet size)
Class D	Up to 13,500 lbs.	12,500 LB/ Turbo Combo Class
Class F	Up to 17,000 lbs.	No H.P. Limit (2:31 inch max turbo inlet size)
Class G	Up to 26,000 lbs.	No H.P. Est. Limit

Rules:

***These rules are set up to give every tractor entered an honest and fair chance of placing in its class. Please don't abuse these rules to gain a competitive edge.**

1. Classes A through F open to stock RPM 2-wheel drive tractors.
Classes G open to 2 or 4 wheel drive tractors under 26,000 lbs.(handicap system) 4 feet per thousand
Rear duals allowed on 2 wheel drive. Tractor must have stock block for model entered.
2. No turbos allowed in classes A and B.
Class B tractors with add-on turbos must pull in class C.
Non-turbo class C tractors can weigh up to 11,500 lbs.
Pullers will be responsible for removing inlet hose to check turbo inlet size.
3. No add-ons H.P. boost of any kind injected into engine.
4. 18:4:38 tire widths and height limit in classes A, B and C.
5. 18 inch hitching device limit in classes A, B and C.
20 inch in classes D and F.
21 inch in classes G.
6. No modified or lowered front axles in farm classes.
No engine side shields unless factory equipped.
No cut tires in farm classes.
7. Factory rated stock engine R.P.M.s in farm classes A through G
Throttles will be checked at weigh-in.
Do not over fuel injection pumps in farm classes A through G
Farm class theme "pull them as you farm with them"
8. Any questions, please call 920 773-2702 after 6 p.m.
Cell (920)946-6481

*****RULES AND REGULATIONS*****
SHEBOYGAN COUNTY FAIR ASSOCIATION
2013 FARM TRACTOR PULL
THURSDAY, AUGUST 29, 2013 - 7:00 P.M.

14,500 LB. HOBBY

1. 2800 RPM max, must have positive throttle stop on pump – Tractor allowed one pull Without RPM cord.
2. Stock core injection pump – electric fuel pump okay but NO manual pump.
3. 2.31 inch turbo inlet max – 3 LM 466 add on turbo allowed – NO schwitzer turbo – fins must protrude into housing – NO 6” wheels.
4. Factory fuel only, NO water or other injection of any kind.
5. Shielded working PTO, may be required to show operation.
6. NO aluminum rear rims – NO cut tires.
7. NO Slipper clutches allowed.
8. NO aluminum rear rims
9. NO side shields unless factory equipped.
10. NO lowered front axles – maintain original tractor appearance.
11. Max drawbar height of 20 inches and Min. of 18 inches behind center of rear axle.
12. NO weight in the 3 point hitch.
13. All safety equipment recommended.
14. Any tractor may be inspected at anytime.
16. Puller will be responsible for removing hose to check turbo inlet size.

Any questions please contact Harold at (920) 946-6481

*****RULES AND REGULATIONS*****
SHEBOYGAN COUNTY FAIR ASSOCIATION
2013 FARM TRACTOR PULL
THURSDAY, AUGUST 29, 2013 - 7:00 P.M.

RULES FOR 11500# (GO FAST) CLASS

1. 3000 RPM Max – RPM Cord required
2. 2.8 Turbo inlet (same specs as Pullers Inc. Tractors)
3. 20 Inch Drawbar – Minimum of 18 inches behind center of rear axle
4. No weight in 3 point hitch
5. All safety equipment recommended
6. Puller will be responsible for removing hose to check turbo inlet size

Any questions please contact Harold at (920) 946-6481

***** RULES AND REGULATIONS*****
SHEBOYGAN COUNTY FAIR ASSOCIATION
2013 FARM TRACTOR PULL
THURSDAY, AUGUST 29, 2013 - 7:00 P.M.

7,500 LB HOBBY FARM CLASS

1. 320 cubic inch maximum – 2,800 RPM maximum
2. 2 inch inlet on turbo maximum
3. Stock core injection pump, factory fueled or sims-minemic
4. 18:4:42 tires maximum, no cut tires
5. No engine side shields unless factory equipped
6. 20 inch drawbar maximum height, no less than 18 inches behind rear axle and no top links attached
7. Safety equipment allowed

Any questions please contact Harold at (920) 946-6481